



VIRIDIAN[®]
WEAPON TECHNOLOGIES

**FACT DUTY
WEAPON-MOUNTED CAMERA
QUICK START GUIDE**

MOUNTING

Remove **cross rail screw** by lifting up on the **cam latch** on the right side and rotating it **counter clockwise** to loosen.



Remove right rail from the housing body.



Place the FACT Duty camera onto the rail of the pistol and slide it back **as close to the trigger guard as possible**.



Replace the right rail and insert the **cross rail screw** in one of the three holes. Make sure the cross rail screw aligns with a rail slot in the frame.



Tighten the cross rail screw until it feels snug and then press the cam latch over to lock.

*Note: The cam latch should be **parallel to the rail**.*

FUNCTIONS

ATTACHING THE BATTERY

Align the **tab** on the battery pack with the **notch** in the Fact Duty housing. Notch should be closest to USB port.



Tab aligned with notch



Tab not aligned with notch

Press battery into the FACT Duty housing and **secure both latches** (one on each side).
FACT Duty will start recording once the battery makes contact.

BATTERY & MEMORY STATUS LIGHTS


Indicator lights near the USB port will show camera status.

i. Battery Status (Next to lightening bolt)

Green: > 50% battery life

Yellow: < 50% battery life

Red: < 25% battery life



Battery Status

ii. Memory Status (Next to SD card symbol)

Green: > 60% memory available

Yellow: < 60% memory available

Red: < 30% memory available



Memory Status

**Note: Camera begins recording prior to the memory status light illuminating.*

CHARGING THE BATTERY

Plug mini USB cable into camera and then into a USB port, or the wall (via USB to wall converter).

TACTICAL LIGHT OPERATION

Ambidextrous light activation buttons are located on either side of the back switch cover.



Momentary activation - press lightly on one of the buttons and release

Constant activation - press hard enough to click and light will stay on

Switching light modes - press and release both buttons at the same time while the light is on. The light will toggle between constant and strobing mode.

Adjusting light intensity - press and hold both buttons for more than 3 seconds while the light is on constant mode. The light will cycle through high/medium/low brightness. Release the buttons at the desired brightness. Brightness settings will affect overall run time.

Note: Activation buttons do not change the function of the camera.

FACT DUTY SOFTWARE OVERVIEW

The screenshot shows the VIRIDIAN WMC V1.0 interface with four main sections highlighted by colored boxes and arrows:

- Login (Yellow):** Contains fields for Password, Password Hint, Change Password (4-10 characters), and buttons for ENTER and MODIFY. A warning message states: "The device will be locked after 6 wrong password attempts."
- Reference Data (Pink):** Contains fields for Officer (optional), Department, and Additional, with ENTER and MODIFY buttons.
- Camera Options (Green):** Contains a Sync PC Current Time button, a dropdown for Overwrite (set to Yes), a dropdown for Video Resolution (set to 1080P 30FPS), and an Open file folder button. It also displays the current PC time as 2017-11-09 10:27:28.
- Footer (Grey):** Displays Firmware Version: Nov 04 2017 20:28:48 and Camera Serial Number: FD000000.

LOGIN

Password: viridian (case sensitive)

Modify: Change password

CAMERA OPTIONS

Sync Current PC Time - Syncs the timestamp to your current PC time

Overwrite - By default, once the memory is full, the camera will overwrite the oldest files. Select "No" and the camera will stop recording once the 32GB onboard memory is full.

Video Resolution - Choose between 1080p/30FPS or 720p/60FPS resolution.

REFERENCE DATA

Once set up, this data will auto-populate when the camera is connected.

FILE ACCESS

Open File Folder - Click to view video files

ACCESSING THE CAMERA & VIDEO

ACCESSING THE VIDEO FILES ON THE CAMERA

1. Open WMC software on a computer with a USB port. (Software can be downloaded from ViridianWeaponTech.com)


2. Plug the camera in using the mini USB cable.

3. Enter password: **viridian** (case sensitive)

4. Click the file folder button in menu

Open file folder

5. The drive folder will show the video files recorded to memory on the camera.



Administrators should follow applicable agency evidence download and management policies regarding categorization, location, and retention of data obtained and downloaded from FACT DUTY. Only authorized administrators should execute data download process.

LIMITED WARRANTY

VIRIDIAN® 2 YEAR LIMITED WARRANTY

Viridian warranties for 2 years after the purchase that its products will be free from defects in material and workmanship. Viridian will repair or replace, at its option, any product or part (with exception of the battery) which is found to be defective under normal use and service, without charge. Viridian's option, shall be the purchaser's sole and exclusive remedy under this warranty.

THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OTHER THAN AS SET FORTH ON THIS PAGE, AND VIRIDIAN DISCLAIMS ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. VIRIDIAN SHALL NOT BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES ARISING OUT OF OR IN CONNECTION WITH PRODUCT USE OR PERFORMANCE.

For warranty questions or servicing of your product please call (800) 990-9390 or email customer service at Support@ViridianWeaponTech.com.

Warranty does not extend to battery leakage, depletion or decline in performance due to normal aging or to battery issues caused by misuse. See battery specifications, operational instructions and warnings in manual available at www.ViridianWeaponTech.com. This warranty extends only to the original owner.

SAFETY WARNING

Agency firearm safety policies and protocol must be followed at all times associated with use of the FACT Duty. For complete safety details and warnings, see manual at www.ViridianWeaponTech.com.

SERVICE & REPAIR

All service and repairs must be performed by an authorized factory trained technician.
For service or repair, please call or email before returning unit to receive an RMA#.

SERVICE

ATTN: SERVICE/REPAIRS
(800) 990-9390
+1-763-479-4091 (International)
Email: Support@ViridianWeaponTech.com

VIRIDIAN

5475 PIONEER CREEK DRIVE
MAPLE PLAIN, MN 55359

For complete manual refer to www.ViridianWeaponTech.com.